Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26106	219/216-469.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 08:43
L2	256	100/92-301.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 08:43
L3	3	"5822669".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 09:01
L4	49	("5074019"   "5526103"   "5552582"   "5568240").PN. OR ("5822669").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/03 08:43
L5	16856	magnetic with flux with (reduction or varying or control or controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 08:43
L6	257	magnetic with flux with (reduction or varying or control or controller) and image with (heat or heating or heater)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 08:43
L7	26618	L1 or L2 or L3 or L4 or L6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 08:43
L8	0	(asakura and katakabe and fujimoto and imaj and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 08:43
L9	0	(asakura and katakabe and fujimoto and imal and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 08:43
L10	4	(asakura and katakabe and fujimoto and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 08:43
L11	1	L7 and L10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 08:43
L12	. 257	L5 and L6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 08:43

L13	257	L5 and L6 and L7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 08:43
L14	86	L13 and 219/619.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 08:43
L15	46	L14 and (rotate or revolve or rotateable) and paper	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 09:01
L16	1	L15 and "flux reduction"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 08:43
L17	3	L13 and "flux reduction"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 08:43
L18	6	"09" with "171889"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 08:43
L19	6	L14 and (rotate or revolve or rotateable) with core and paper	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 09:02
L20	0	L14 and (rotate or revolve or rotateable) with core with (recess or groove)and paper	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 09:02
S1	26104	219/216-469.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:40
S2	256	100/92-301.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:40
S3	3	"5822669".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:41
S4	49	("5074019"   "5526103"   "5552582"   "5568240").PN. OR ("5822669").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/02 10:41

S5	16845	magnetic with flux with (reduction or varying or control or controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:43
S6	256	magnetic with flux with (reduction or varying or control or controller) and image with (heat or heating or heater)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:44
S7	26615	S1 or S2 or S3 or S4 or S6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:44
S8	0	(asakura and katakabe and fujimoto and imaj and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:45
S9	0	(asakura and katakabe and fujimoto and imal and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:46
S10	4	(asakura and katakabe and fujimoto and yasuda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:47
S11	1	S7 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:47
S12	256	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:47
S13	256	S5 and S6 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:48
S14	86	S13 and 219/619.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:48
S15	46	S14 and (rotate or revolve or rotateable) and paper	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:52
S16	1	S15 and "flux reduction"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:52

S17	3	S13 and "flux reduction"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:54
S18	6	"09" with "171889"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/02 10:54